

EVO® ALTA™ Skyworker™

ARC170-000-1AN / ARC170-001-6AN / ARC170-001-1AN



White | ARC170-000-1AN



Orange | ARC170-001-6AN



Black | ARC170-001-1AN

DESCRIPTION

The new EVO® ALTA™ offers all-round impact protection. Featuring a specialised shell structure and internal liner to increase durability and shock absorption performance.

EVO® ALTA™ Skyworker™ is certified to the EN 12492 mountaineering helmet standard with a 4-point chinstrap designed to stay secure under force, maximising security during a fall.

Precise adjustment settings enable a secure fit, ensuring the helmet remains stable.

Engineered to maximise compatibility and accessory integration, EVO® ALTA™ is an adaptive system with built-in attachment points and an interchangeable front module.

SAFETY STANDARDS

- EN 12492
- AS/NZS1801

FEATURES

- EVO® ALTA™ provides all-round impact protection with top, side, front and rear shock absorption performance. The helmet is designed with an extended nape section to offer greater neck coverage.
- The EVO® ALTA™ range maximises compatibility and accessory integration. Attachment points on the helmet shell enable firm fitting of ear defenders, faceshields, goggle and lamp straps, plus a range of other accessories.
- The Revolution® Flex wheel ratchet harness secures the helmet, eliminating pressure points to provide maximum comfort. Fitted with a replaceable Chamlon™ cotton sweatband and fully compatible with EVO® cooling sweatbands for protection against heat stress.
- The 4-point chinstrap is easy to adjust. Size and anchorage point adjustment enable a tailored fit for different head sizes, ensuring stability and greater comfort.
- Side and rear ventilation in the helmet's shell and liner reduce temperatures by an average of 2-3 degrees.
- EVO® ALTA™ features a unique interchangeable front module. Select the integrated ID card holder for on-site identification or choose the logo-ready standard front to apply company branding. Both front modules enable attachment of a helmet lamp and other accessories.
- Featuring an internal impact liner to increase shock absorption and penetration protection. Manufactured in expanded polypropylene (EPP), the liner is lightweight and ventilated for comfort.
- The harness cradles the head to keep the helmet stable with an adjustable 4-point chinstrap for increased security. 3D-Adjustment depth settings enable the most precise fit attainable on a safety helmet.
- Helmets can be customised to meet a corporate identity. Logo printing is available on the front and sides of this safety helmet, helping to increase brand recognition and discourage theft. MOQs apply.



SPECIFICATIONS



Peak
Micro



Side Impact Resistance
25 Joules



Lateral Deformation
Meets performance requirements



Maximum Temperature
+50°C



ABS Shell
Yes



Recyclable
Shell



Ventilation
Yes



Wheel Ratchet
Yes



Universal Accessories Slot
Yes



ID card holder
Optional



Product Weight
500g



Impact Resistance
100 Joules



Molten Metal
Meets performance requirements



EN 50365 ELECTRICAL INSULATION
Meets performance requirements



Minimum Temperature
-40°C



EPP Liner
Yes



Textile
Harness



Depth Adjustment
3D Harness



Fitted 4 point chinstrap (EN12492 Compliant)
Fitted



Reflective Option
Optional



JSPCheck
Yes



Size
53-64cm

NEW ZEALAND

Sales Support: 021 349 3351
Customer Service: **0800 723 898**

www.safetytech.co.nz
Email: info@safetytech.co.nz